

# PRIME VSAR 2.2.0

## API Guide

September 2025



Chyron PRIME VSAR 2.2.0 API Guide • September 2025 • This document is distributed by Chyron in online (electronic) form only, and is not available for purchase in printed form.

This document is protected under copyright law. An authorized licensee of Chyron PRIME VSAR may reproduce this publication for the licensee's own use in learning how to use the software. This document may not be reproduced or distributed, in whole or in part, for commercial purposes, such as selling copies of this document or providing support or educational services to others.

Product specifications are subject to change without notice and this document does not represent a commitment or guarantee on the part of Chyron and associated parties. This product is subject to the terms and conditions of Chyron's software license agreement. The product may only be used in accordance with the license agreement.

Any third-party software mentioned, described or referenced in this guide is the property of its respective owner. Instructions and descriptions of third-party software are for informational purposes only, as related to Chyron products and does not imply ownership, authority or guarantee of any kind by Chyron and associated parties.

This document is supplied as a guide for Chyron PRIME VSAR . Reasonable care has been taken in preparing the information it contains. However, this document may contain omissions, technical inaccuracies, or typographical errors. Chyron and associated companies do not accept responsibility of any kind for customers' losses due to the use of this document. Product specifications are subject to change without notice.

Copyright © 2025 Chyron, ChyronHego Corp. and its licensors. All rights reserved.

## Table Of Contents

Introduction.....	4
Help And Support.....	4
Connection.....	5
Actor Class Commands.....	6
Component Commands.....	10
Property Tools Commands.....	11
Level Sequence Class Commands.....	13
Ab Switch Class Commands.....	15
Cesium Camera Class Commands.....	18
Data Engine Commands.....	20
Levels Commands.....	21
Editor Commands.....	22
Io Commands.....	23
Logging Commands.....	24
Conversion Commands.....	25
Remote Control Tools Commands.....	26
Chyron Panels Tools Commands.....	26
Primitive Commands.....	27
Output Api Commands.....	27

## Introduction

This document explains the API to remote control VSAR – Unreal Engine 5.

## Help And Support

For contact information or our online helpdesk, please visit our support page at [chyronhego.com/support/overview](https://chyronhego.com/support/overview).

Disclaimer: Our products are subject to continual development and improvement. Therefore, while the information in this document was complete and accurate when it was written, additions or modifications to the products may cause changes to the technical and functional specifications. No rights can be derived from this document.

## Connection

Each VSAR server is connected to a Data Engine instance. PRIME VSAR is listening to bucket: "ue4" and key: "lua\_in"

Note: "ue4" name is retained from ue4 due to backward compatibility

## Actor Class Commands

### **Actor( InActorID, index )**

The constructor tries to match the unique ActorID first, if it's unsuccessful, it falls back to ActorName (label)

If the index is set to true or not set, it will search for the first occurrence of the ActorName.

If an index is set to a number and there are multiple occurrences, it will act like an index.

For example:

There are 4 actors named "Chair" in the level (ChairStuff, Chair\_2, ChairStuff\_16, ChairStuff)

Actor("Chair\_2") will contain the Chair\_2

Actor("Chair", true) will contain the first occurrence of Chair, which is found

Actor("Chair", 2) will contain the third occurrence of Chair, which is found

Actor("Chair") will contain the first occurrence of Chair, which is found

"Chair\_2" has ID "StaticMeshActor\_2"

Actor("StaticMeshActor\_2") will contain the Chair\_2

In the other classes/functions, when a parameter named InActorID is used with another parameter Index, it refers to this behavior.

### **GetActorByID(InActorID)**

### **GetFirstActorByName(InActorName, index)**

### **GetName()**

Returns the name of the actor (as a FString)

Example:

PrintLog(Actor("Cube1").GetName()) – prints the name of the found actor

### **GetClassName()**

**Move( x, y, z )**

Move an actor by actor ID.

Example

```
Actor("Cube1").Move(960, 540, 0)
```

**Rotate( pitch, yaw, roll )**

Rotate an actor by actor ID

Example

```
Actor("Cube1").Rotate(360, 0, 0)
```

**Scale( x, y, z )**

Scale an actor by actor ID.

Example

```
Actor("Cube1").Scale(1, 10, 1)
```

**Show()**

Show an actor by actor ID.

Example

```
Actor("Cube1").Show()
```

**Hide()**

Hide an actor by actor ID.

Example

```
Actor("Cube1").Hide()
```

**SetVisibility(bIsVisible)**

Sets the visibility of the actor by ID.

Example

```
Actor("Cube1").SetVisibility(true)
```

### **SetMobility(InMobility)**

### **CallBlueprintFunction( InFunctionName, Parameters ... )**

Calls the actor's blueprint function by name

Examples:

Calling a function without parameters

```
Actor("TestLua").CallBlueprintFunction( "FuncNoParam" )
```

Calling a function with a string parameter

```
Actor("TestLua").CallBlueprintFunction( "FuncStrParam", "Test" )
```

Calling a function with a number parameter

```
Actor("TestLua").CallBlueprintFunction( "FuncNumberParam", 42 )
```

Calling a function with a vector parameter

```
Actor("TestLua").CallBlueprintFunction( "FuncVectorParam", "( X=1.0, Y=2.0, Z=3.0 )" )
```

Calling a function with two parameters: LinearColor and a bool

```
Actor("TestLua").CallBlueprintFunction( "FuncTwoParams", "( R=1.0, G=0.0, B=0.5, A=1.0 )", false )
```

### **SetVar( InVarName, InValue )**

Set an actor variable by actor name and variable path/name.

Examples:

Set a float value

```
Actor("TestLua", true).SetVar("FloatVar", 10.0)
```

Set a bool value

```
Actor("TestLua", true).SetVar("BoolVar", true)
```

Set X value in a Vector

```
Actor("TestLua", true).SetVar("VectorVar.X", 42)
```

We can also set a vector

```
Actor("TestLua", true).SetVar("VectorVar", ToFVector( 10, 20, 30 ) )
```

We can set a FLinearColor

```
Actor("TestLua", true).SetVar("LinearColorVar", ToFLinearColor(1, 0, 0, 1) )
```

Or just the R value

```
Actor("TestLua", true).SetVar("LinearColorVar.G", 1.0)
```

### **GetVar( InVarName, InValue )**

When using GetVar, it returns a JSON string containing the type, the name, and the value of the variable.

Examples:

Get the JSON string of the var "FloatVar"

```
local floatJson = Actor("TestLua", true).GetVar("FloatVar")
```

Decode the string

```
local floatDecoded = JSON:decode( FromFString( floatJson ) )
```

Print the value of FloatVar

```
PrintLog( floatDecoded.Name .. "=" .. floatDecoded.Value )
```

This also works for structs:

Get the JSON string of "VectorVar"

```
local vectorJson = Actor("TestLua", true).GetVar("VectorVar")
```

Decode the string

```
local vectorDecoded = JSON:decode( FromFString( vectorJson ) )
```

iterate and print each property

```
for i,v in pairs( vectorDecoded.Properties ) do
```

```
PrintLog( v.Name .. "=" .. v.Value )
```

```
end
```

### **GetComponentByName(strNameOfComponentType)**

Get a reference to the component in the Actor defined by its name of type.

```
local actor1 = Actor("TestActor1");
```

```
PrintLog(actor1.GetName());
```

```
local component = actor1.GetComponentByName("MtCamio2DText");
```

```
PrintLog(component.GetName());
```

### **GetComponents()**

### **GetRootComponent()**

## Component Commands

**Component( InComponent )**

**GetName()**

**GetClassName()**

**IsSceneComponent()**

**SetVisibility()**

**Show()**

**Hide()**

**Move(x, y, z)**

**Rotate(pitch, yaw, roll)**

**Scale(x, y, z)**

**SetMobility(InMobility)**

**CallBlueprintFunction(InFunctionName, Parameters, ...)**

**SetVar(InVarPath, InValue)**

## Property Tools Commands

**PropertyTools()**

**PropertyTools.CallFunction(component.ObjectPtr, strNameOfFunction)**

Call a function without a parameter defined for the component.

```
local actor1 = Actor("TestActor1");
```

```
PrintLog(actor1.GetName());
```

```
local component = actor1.GetComponentByName("MtCamio2DText");
```

```
PrintLog(component.GetName());
```

```
PropertyTools.CallFunction(component.ObjectPtr, "Play");
```

**PropertyTools.CallFunction(component.ObjectPtr, strNameOfFunction, strPar1)**

Call the function with one parameter defined for the component.

```
local actor1 = Actor("TestActor1");  
PrintLog(actor1.GetName());  
local component = actor1.GetComponentByName("MtCamio2DText");  
PrintLog(component.GetName());  
PropertyTools.CallFunction(component.ObjectPtr, "SetXScale", "1.0");  
PropertyTools.CallFunction(component.ObjectPtr, "SetYScale", "1.0");
```

**PropertyTools.CallFunction(component.ObjectPtr, strNameOfFunction, strPar1, strPar2)**

Call the function with two parameters defined for the component.

**PropertyTools.GetProperty(InObjectPtr, InVarPath, Config)****PropertyTools.SetProperty(InObjectPtr, InVarPath, InValue)**

## Level Sequence Class Commands

**LevelSequence( InActorID )**

**GetALevelSequenceActor(InActorID, index)**

**GetLevelSequencePlayerFromActor()**

**Play( )**

Play a sequence in a level by actor name.

Example

```
LevelSequence("MySequence").Play()
```

**Stop()**

**Pause( )**

Pause a sequence in a level by actor name.

Example

```
LevelSequence("MySequence").Pause()
```

**PlayReverse( )**

Play a sequence reversed in a level by actor name.

Example

```
LevelSequence("MySequence").PlayReverse()
```

**PlayToSeconds( seconds )**

Play a sequence until the outpoint in a level by actor name and value.

Example

```
LevelSequence("MySequence").PlayToSeconds(5.0)
```

### **ScrubToSeconds( seconds )**

Seek a sequence in a level by actor name and value in seconds.

Example

```
LevelSequence("MySequence").ScrubToSeconds(1.0)
```

### **PlayRate( playRate )**

Set the play speed of the sequence. The play rate is 1.0 based. 1.0 is the default speed, 2.0 is 2x times the speed, 0.5 is half of the speed.

Example:

```
LevelSequence("MySequence").PlayRate(1.0)
```

### **TimeRange( startTime, duration )**

Set the sequence time from and time end values to play a smaller sequence by sequence name in seconds.

Example:

```
LevelSequence("Sequence").TimeRange(1.0, 5.0)
```

### **GoToEndAndStop()**

### **GetPlayRate()**

### **ChangePlaybackDirection()**

### **IsPlaying()**

### **IsPaused()**

### **IsReversed()**

### **CheckPlayer()**

## Ab Switch Class Commands

### **MtABSwitch( InActorID )**

There are general commands and per-player commands

Parameters between "[" are optional.

### General Commands:

#### **SetEffectDuration ( InDuration )**

Example:

```
MtABSwitch("CH_ABSwitch_1").SetEffectDuration(5.0)
```

#### **StartTransition( [InEffectName], [InDuration] )**

Example:

```
MtABSwitch("CH_ABSwitch_1").StartTransition()
```

```
MtABSwitch("CH_ABSwitch_1").StartTransition("WipeLeft")
```

```
MtABSwitch("CH_ABSwitch_1").StartTransition("Fade", 10)
```

#### **SetEffectByName(InEffectName)**

#### **GetEffectList()**

#### **PrintEffectList()**

#### **GetEffectScalarParametersName()**

#### **PrintEffectScalarParametersName()**

#### **SendCurrentStatusToDataEngine(InRequestID)**

#### **SetEffectScalarParameter(InParameterName, InValue)**

### Player commands:

There are 3 players: Program, Preview, Transition

```
Program = MediaPlayer( self.ObjectPtr.Program.Player )
Preview = MediaPlayer( self.ObjectPtr.Preview.Player )
Transition = MediaPlayer( self.ObjectPtr.Transition.Player )
```

### **OpenFile( InFilePath )**

Example:

```
MtABSwitch("CH_ABSwitch_1").Program.OpenFile("D:/content/testclip.mpg");
MtABSwitch("CH_ABSwitch_1").Preview.OpenFile("D:/content/testimage.png");
```

### **OpenUrl( InUrl )**

Example:

```
MtABSwitch("CH_ABSwitch_1").Program.OpenUrl("DaveShm://InputA");
MtABSwitch("CH_ABSwitch_1").Preview.OpenUrl("File://D:/content/testclip.mpg");
```

### **Play( )**

Example:

```
MtABSwitch("CH_ABSwitch_1").Program.Play();
MtABSwitch("CH_ABSwitch_1").Preview.Play();
```

### **Pause( )**

Example:

```
MtABSwitch("CH_ABSwitch_1").Program.Pause();
MtABSwitch("CH_ABSwitch_1").Preview.Pause();
```

### **Rewind( )**

Example:

```
MtABSwitch("CH_ABSwitch_1").Program.Rewind();
MtABSwitch("CH_ABSwitch_1").Preview.Rewind();
```

### **SetLooping( blsLooping )**

Example:

```
MtABSwitch("CH_ABSwitch_1").Program.SetLooping(true);
```

```
MtABSwitch("CH_ABSwitch_1").Preview.SetLooping(false);
```

### **IsLooping( )**

Example:

```
local isProgramLooping = MtABSwitch("CH_ABSwitch_1").Program.IsLooping();
```

```
local isPreviewLooping = MtABSwitch("CH_ABSwitch_1").Preview.IsLooping();
```

### **IsPlaying( )**

Example:

```
local isProgramPlaying = MtABSwitch("CH_ABSwitch_1").Program.IsPlaying("");
```

```
local isPreviewPlaying = MtABSwitch("CH_ABSwitch_1").Preview.IsPlaying("");
```

### **SetRate( InRate )**

Example:

```
MtABSwitch("CH_ABSwitch_1").Program.SetRate(2.0);
```

```
MtABSwitch("CH_ABSwitch_1").Preview.SetRate(0.5);
```

## Cesium Camera Class Commands

**CesiumCamera( InActorID, index )**

**Synchronize()**

**AddActorToForeground( InActorName, index )**

Adds the actor to the camera's key channel

Example:

```
CesiumCamera("CesiumCamera", true).AddActorToForeground("Chair", true)
```

**RemoveActorFromForeground( InActorName, index )**

Removes the actor from the camera's key channel

Example:

```
CesiumCamera("CesiumCamera", true).RemoveActorFromForeground("Chair", true)
```

**AddActorToMatte( InActorName, index )**

Adds the actor to the key channel but hides it from the fill channel

Example:

```
CesiumCamera("CesiumCamera", true).AddActorToMatte("Chair", true)
```

**RemoveActorFromMatte( InActorName, index )**

Removes the actor from the key channel and puts it again in the fill channel

Example:

```
CesiumCamera("CesiumCamera", true).RemoveActorFromMatte("Chair", true)
```

**TransitionToTracklessSnapshot( Duration, ProjectName, SnapshotName )**

Transition the Cesium Camera to the snapshot created in Mercury/Trackless

Example:

```
CesiumCamera("CH_CesiumCamera_3").TransitionToTracklessSnapshot(5,"Show5","snapshot2")
```

### **TransitionToTracked ( Duration, CameraIndex )**

Transition the Cesium Camera to tracking location with the specified index

Example:

```
CesiumCamera("CH_CesiumCamera_3").TransitionToTracked(5,0)
```

## Data Engine Commands

**DataEngine.Connect( InHostname, InPort, InBucket, InKey )**

**DataEngine.Close()**

**DataEngine.Reconnect()**

**DataEngine.IsConnected()**

**DataEngine.WriteToKey( Bucket, Key, Value )**

Write the value to the Bucket/Key of the engines currently connected to DataEngine

Example:

*DataEngine.WriteToKey("TestBucket", "TestKey", ToFString( "TestString !" ) )*

## Levels Commands

### **LevelShow( SubLevelName )**

Only works for sublevels while in PIE

Shows the sublevel (needs to be loaded)

Example:

```
LevelShow("MySubLevel")
```

### **LevelHide( SubLevelName )**

Only works for sublevels while in PIE

Hides the sublevel (needs to be loaded)

Example:

```
LevelHide("MySubLevel")
```

### **OpenLevel( levelName )**

Permanently opens a level by its name

Example:

```
OpenLevel("NewLevel")
```

### **OpenLevelFast( levelName )**

Temporarily opens a level by its name. Works only in PIE, can be faster than OpenLevel

Example:

```
OpenLevelFast("NewLevel")
```

## Editor Commands

### **StartPIE()**

Starts the Play in editor (PIE)

### **StopPIE()**

Stops the Play in editor (PIE)

### **OpenProject ( projectPath )**

Opens the project if the provided path is valid. VSAR needs to be already running.

Example:

```
OpenProject("C:\\VSAR\\Temp\\MyProject5\\MyProject5.uproject")
```

## Io Commands

### **Output( OutputName )**

### **SetResolutionScaler( InResolutionScaler )**

Sets the resolution scaler for upscaling or downscaling the output resolution

Example

```
Output("Hal_0_0").SetResolutionScaler(1.5)
```

### **SetHorizontalGenlockPhase( InSetHorizontalGenlockPhase )**

Sets the horizontal genlock phase

Example:

```
Output("Hal_0_0").SetHorizontalGenlockPhase(3)
```

### **SetVerticalGenlockPhase( InVerticalGenlockPhase )**

Sets the vertical genlock phase

Example:

```
Output("Hal_0_0").SetVerticalGenlockPhase(3)
```

### **SetFrameDelay( InFrameDelay)**

Sets the frame delay for "use as sync" output

Example:

```
Output("Hal_0_0").SetFrameDelay(6)
```

## Logging Commands

### **PrintLog( Str )**

Prints the string as a "Log" verbosity (grey)

Example:

```
PrintLog(42)
```

```
PrintLog( Actor("Chair", true ) )
```

### **PrintLog\_Warning( Str )**

Prints the string as a "Warning" verbosity (yellow)

Example:

```
PrintLog_Warning(42)
```

```
PrintLog_Warning( Actor("Chair", true ) )
```

### **PrintLog\_Error( Str )**

Prints the string as an "Error" verbosity (red)

Example:

```
PrintLog_Error(42)
```

```
PrintLog_Error( Actor("Chair", true ) )
```

## Conversion Commands

### **ToFString( str )**

Converts a string to FString

### **ToFVector( x, y, z )**

Converts x, y, z to FVector

### **ToFVector2D( x, y )**

Converts x, y to FVector2D

### **ToFRotator( pitch, yaw, roll )**

Converts pitch, yaw, roll to FRotator

### **ToFLinearColor( r, g, b, a )**

Converts r, g, b, a to FLinearColor

### **FromFString( str )**

Converts back FString to Lua

### **FromFVector( Vec )**

Converts back FVector to Lua

### **FromFRotator( Rot )**

Converts back FRotator to Lua

## Remote Control Tools Commands

RemoteControlTools()

GetActorList()

GetBlueprintActorList()

GetCamioActorList()

GetLevelSequenceList()

GetActorFunctionsList( InObject )

GetBlueprintFunctionsList( InObject )

GetBlueprintFunctionArgumentList( InObject, InFunctionName )

GetActorProperties( InObject )

***GetComponentProperties( InObject )***

FVector( InFVector )

FRotator( InFRotator )

## Chyron Panels Tools Commands

ChyronPanelsTools()

Request( InKey, InRequestID, InData )

GetActorList( InRequestID )

GetActorProperties( InActorID, InRequestID )

GetBlueprintActorList( InRequestID )

GetCamioActorList( InRequestID )

GetLevelSequenceList( InRequestID )

GetActorFunctions( InActorID, InRequestID )

GetBlueprintFunctions( InActorID, InRequestID )

GetBlueprintFunctionArguments( InActorID, InFunctionName, InRequestID )

## Primitive Commands

**MtTextPrimitive( InActorID, InComponentName )**

**SetText( textValue )**

## Output Api Commands

**OutputAPI()**

**GetAllPrimitiveComponents( OutBucket, OutKey )**

## **ABOUT US**

Chyron is ushering in the next generation of storytelling in the digital age. Founded in 1966, the company pioneered broadcast titling and graphics systems. With a strong foundation built on over 50 years of innovation and efficiency, the name Chyron is synonymous with broadcast graphics. Chyron continues that legacy as a global leader focused on customer-centric broadcast solutions. Today, the company offers production professionals the industry's most comprehensive software portfolio for designing, sharing, and playing live graphics to air with ease. Chyron products are increasingly deployed to empower OTA & OTT workflows and deliver richer, more immersive experiences for audiences and sports fans in the arena, at home, or on the go.

## **CONTACT SALES**

EMEA • North America • Latin America • Asia/Pacific  
+1.631.845.2000 • [sales@chyron.com](mailto:sales@chyron.com)

